

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

GCSE BIOLOGY

H

Higher Tier Paper 2H

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use

Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	



J U N 2 1 8 4 6 1 2 H 0 1

Answer **all** questions in the spaces provided.

0 1

The nucleus of a cell contains DNA.


0 1 . 1

Name the structures inside the cell nucleus that contain DNA.

[1 mark]

Figure 1 shows part of a DNA molecule.

Figure 1



0 1 . 2

Name the part of the DNA molecule labelled **X**.

[1 mark]

0 1 . 3


What type of substances are labelled **A**, **C**, **G** and **T** in **Figure 1**?

[1 mark]



Figure 2 shows another section of a DNA molecule.

Figure 2



0 1 . 4

Four of the substances you named in Question **01.3** are **not** labelled in part **Y** of **Figure 2**.

Label each of these substances with the correct letter, **A**, **C**, **G** or **T**.

Use information from other parts of **Figure 2** to help you.

[1 mark]

0 1 . 5

What is happening to the DNA in part **Z** of **Figure 2**?

[1 mark]

Tick (✓) **one** box.

Differentiation

☐

Evolution

☐

Fertilisation

☐

Replication

☐

Turn over ►



0 1 . 6 A gene is a length of DNA.

What type of substance does a gene code for?

[1 mark]

0 1 . 7 Most human body cells contain 6×10^{-12} grams of DNA.

What mass of DNA will a human sperm cell contain?

[1 mark]

Tick (✓) **one** box.

6×10^{-6} grams

☐

6×10^{-12} grams

☐

3×10^{-6} grams

☐

3×10^{-12} grams

☐

0 1 . 8 What is the name of the type of cell division that produces sperm cells?

[1 mark]

Tick (✓) **one** box.

Binary fission

☐

Differentiation

☐

Meiosis

☐

Mitosis


☐


0 2

A student investigated the effect of temperature on the decay of milk.

Figure 3 shows the apparatus the student used.

Figure 3



This is the method used.

1. Set up the apparatus as shown in **Figure 3** with the milk at 20 °C.
2. Record the pH over 5 days using the computer.
3. Repeat with another batch of fresh milk at 25 °C.

0 2 . 1

How could the student keep the milk at a constant temperature for 5 days?

[1 mark]

0 2 . 2

Give **one** variable the student should keep constant.

Do **not** refer to temperature in your answer.

[1 mark]

Question 2 continues on the next page

Turn over ►



Table 1 shows the student's results for the milk at 20 °C.

Table 1

Time in days	0	1	2	3	4	5
pH	6.7	6.7	6.3	5.3	4.6	4.4


0 2 . 3 Complete **Figure 4**.

[4 marks]

You should:

- label the x-axis
- use a suitable scale for the x-axis
- plot the data from **Table 1**
- draw a line of best fit.

Figure 4



0 2 . 4 The data you plotted in Question **02.3** were obtained at 20 °C.

Sketch a line on **Figure 4** to show the results you would expect at 25 °C.

Label this line '25 °C'.

[2 marks]

8



0	3
---	---

Human body temperature is controlled within very narrow limits.

Scientists investigated the effect of drinking ice-cold water on:

- internal body temperature
- the rate of sweating.

This is the method used.

1. Sit a person inside a room kept at a constant temperature of 25 °C.
2. Measure the person's internal body temperature near the brain.
3. Measure the person's rate of sweating.
4. After 20 minutes, give the person 500 cm³ of ice-cold water to drink.
5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.

0	3	.	1
---	---	---	---

Give the reason why the person should **not** move during the investigation.

[1 mark]

Question 3 continues on the next page

Turn over ►



Figure 5 and **Figure 6** show the scientists' results.

Figure 5





Figure 6



0 3 . 2 What is this person's normal internal body temperature?

[1 mark]

Tick (✓) **one** box.

36.8 °C ☐

37.0 °C ☐

37.4 °C ☐

The results show that when the ice-cold water was drunk, the temperature near the brain decreased.

0 3 . 3 Explain why the temperature near the brain decreased.

[2 marks]

0 3 . 4 The thermoregulatory centre in the brain responds to the decrease in temperature.

How does the thermoregulatory centre send information to sweat glands in the skin?

[1 mark]

0 3 . 5 The rate of sweating changes between 24 minutes and 36 minutes.

Explain how this change helps to maintain the person's normal body temperature.

[2 marks]

Question 3 continues on the next page

Turn over ►



03.6

During exercise, the skin appears red.

What causes the skin to appear red?

[1 mark]

Tick (✓) **one** box.

Blood vessels moving closer to the skin surface

☐

Constriction of blood vessels in the skin

☐

Decrease in heart rate

☐

Dilation of blood vessels in the skin

☐

8

Turn over for the next question



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►




0	4
---	---

Decay occurs in a compost heap.

Figure 7 shows a compost heap.

Figure 7



Describe:

- how microorganisms in the layers of soil help to recycle chemicals in the dead plants
- how the chemicals are used again by living plants.

[6 marks]



*Do not write
outside the
box*

6

Turn over for the next question

Turn over ►



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



0 5

The growth of daisy plants on a lawn is affected by biotic factors and by abiotic factors.

0 5 . 1

Table 2 shows six factors.

Tick (✓) **one** box in each row to show whether the factor is biotic or abiotic.

[3 marks]**Table 2**

Factor	Biotic	Abiotic
Nitrates in the soil		
Rabbits eating the plants		
Shading by a building		
Soil pH		
Temperature		
Trampling by people		


Question 5 continues on the next page

Turn over ►



Figure 8 shows a plan of a garden.

Figure 8



A student estimates the number of daisy plants growing on the lawn.

The student places a quadrat at 10 different positions on the lawn.

The quadrat measures 50 cm \times 50 cm.

The student counts the number of daisy plants in each quadrat.

0 5 . 2 How should the student decide where to place the quadrat?

Give the reason for your answer.

[2 marks]



[2 marks]

[6 marks]



0 6 . 3

The endocrine system coordinates many internal functions of the body.

Give **three** ways coordination by the endocrine system is different from coordination by the nervous system.

[3 marks]

1 _____

2 _____

3 _____

0 6 . 4

Describe how hormones control the menstrual cycle.

[5 marks]

16

Turn over for the next question

Turn over ►




0 7

A food web contains several food chains.

Figure 9 shows a food web.

Figure 9



0 7

1

The animals in **Figure 9** get their energy by eating other organisms.

Describe how the algae get energy.

[2 marks]

0 7

2

Name **one** primary consumer in **Figure 9**.

[1 mark]



0 7 3

Name **one** producer in **Figure 9**.

[1 mark]


0 7 4

The different food chains in **Figure 9** have different numbers of organisms.

Complete **Figure 10** to show a food chain in **Figure 9** with **five** organisms, including the human.

[1 mark]

Figure 10



0 7 5

Figure 9 shows that mackerel eat krill and squid.

The biomass of mackerel is much less than the combined biomass of krill and squid.

One reason for this is that the mackerel cannot digest all parts of the krill and squid.

Give **two** other reasons.

[2 marks]


1 _____

2 _____

Turn over ►



Figure 11 shows how the biomass of adult herring in the North Sea has changed between 1950 and 2010.



0 7 . 6

Calculate the percentage decrease in the biomass of herring between 1960 and 1977.

Give your answer to the nearest whole number.

[4 marks]

Percentage decrease = _____ %



Question 7 continues on the next page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



07.7

Too many herring were caught by fishermen between 1960 and 1977.

Herring can live for up to 12 years and begin to reproduce when 3 to 4 years old.

Laws have been introduced to help conserve herring:

- 1977 to 1981 – herring fishing was banned in the North Sea
- 1984 to present day – control of mesh size of fishing nets
- 1997 to present day – fishing quotas were introduced
- 1998 to present day – herring fishing was banned in breeding grounds during the breeding season.

Figure 12 shows how a minimum mesh size helps to conserve herring.

Figure 12





Figure 11 is repeated below.

Figure 11



Use data from **Figure 11** and information from **Figure 12** in your answer.

[illegible]

Turn over for the next question

0 8

Sickle cell anaemia is an inherited condition that affects red blood cells.

Sickle cell anaemia is caused by a mutation in the gene for haemoglobin.
Haemoglobin is the red pigment found in red blood cells.

A person who is homozygous for the normal haemoglobin allele (H^A) produces normal red blood cells.

A person who is homozygous for the mutated allele (H^S):

- produces red blood cells with abnormal haemoglobin
- has red blood cells that can form an altered shape
- has sickle cell anaemia and becomes ill.

A person who is heterozygous:

- has both normal and abnormal haemoglobin in the red blood cells
- has sickle cell trait
- is generally healthy but can become ill in certain circumstances.

0 8**. 1**

Give the reason why a mutation in the gene coding for haemoglobin could be harmful.


[1 mark]



0 8 . 2

Figure 13 shows some red blood cells from the blood of a person with sickle cell trait.

Figure 13



Calculate the proportion of cells in **Figure 13** that have an altered shape.

[2 marks]

Proportion = _____


Question 8 continues on the next page

Turn over ►



Figure 14 shows the inheritance of sickle cell anaemia in one family.

Figure 14



Key



Unaffected male



Unaffected female



Male with sickle cell anaemia



Female with sickle cell anaemia



Male with sickle cell trait



Female with sickle cell trait



0	8	.	3
---	---	---	---

Persons **8** and **9** in **Figure 14** are expecting a second child.

Determine the probability that the child will be a girl with sickle cell trait.

You should:

- draw a Punnett square diagram
- identify the phenotype of each offspring genotype
- use the symbols:

H^A = normal haemoglobin allele

H^S = mutated haemoglobin allele.

[5 marks]

Probability of a girl with sickle cell trait = _____

Question 8 continues on the next page

Turn over ►



08.4

Without medical treatment, people with sickle cell anaemia are frequently ill and have a reduced life expectancy.

The malarial parasite cannot live in the red blood cells of a person who has the H^S allele.

A scientist stated:

‘It is an advantage for people to have the H^S allele in countries where malaria occurs.’

Evaluate the scientist’s statement.

[3 marks]

11



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



0 9

The Galapagos Islands are located in the Pacific Ocean.

Several species of birds called finches live on the Galapagos Islands.

These finches are very similar to each other.

Figure 15 shows two modern species of Galapagos finch and their classification.

Figure 15

Medium ground finch



Small ground finch



Classification group	Medium ground finch	Small ground finch
Kingdom	<i>Animalia</i>	<i>Animalia</i>
	<i>Chordata</i>	<i>Chordata</i>
Class	<i>Aves</i>	<i>Aves</i>
	<i>Passeriformes</i>	<i>Passeriformes</i>
	<i>Thraupidae</i>	<i>Thraupidae</i>
Genus	<i>Geospiza</i>	<i>Geospiza</i>
	<i>fortis</i>	<i>fuliginosa</i>



0 9 . 1

Complete **Figure 15** to give the names of the missing classification groups.**[2 marks]**

0 9 . 2

Give the binomial name of the medium ground finch.

Use information from **Figure 15**.**[1 mark]**

Question 9 continues on the next page

Turn over ►

In each species of finch, there is a variation in beak depth.

Figure 16 shows how beak depth is measured.





Figure 17 shows the relationship between the beak depth of parent birds and the beak depth of their offspring.



0 9 . 3

Give evidence from **Figure 17** that beak depth is an inherited characteristic.

[1 mark]

0	9	.	4
---	---	---	---

Scientists suggested that more than one gene controls beak depth.

Give evidence from **Figure 17** to support the scientists' suggestion.

[1 mark]


Question 9 continues on the next page

Turn over ►



Figure 18 is a map of the Galapagos Islands.


Figure 18



On Isabela Island, the medium ground finch **and** the small ground finch are found.
On Daphne Island, only the medium ground finch is found.
On Crossman Island, only the small ground finch is found.

Figure 19 shows how the beak depth of each species varies on each island.

Figure 19



The size of seeds eaten by each bird depends on the depth of the bird's beak.

The range of beak depth of **medium ground finches** on Isabela Island is different from the range on Daphne Island.

[6 marks]

[illegible]

Turn over ►



0 9 . 6

Figure 19 shows:

- the **two** species of finch live on Isabela Island
- only **one** of the species lives on Daphne Island
- only **one** of the species lives on Crossman Island.

Suggest why both species of finch are able to live on Isabela Island.

[2 marks]

13**END OF QUESTIONS**

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



*Do not write
outside the
box*

[illegible]



[illegible]

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.



4 4



2 1 6 G 8 4 6 1 / 2 H

IB/M/Jun21/8461/2H

GCSE
BIOLOGY
8461/2H

Paper 2 Higher Tier

Mark scheme

June 2021

Version: 1.0 Final Mark Scheme



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2021 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do **not** accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	chromosome(s)	allow chromatid(s) / gene(s) / allele(s)	1	AO1 4.6.1.4
01.2	sugar	allow deoxyribose allow pentose do not accept ribose	1	AO1 4.6.1.5
01.3	base(s)	allow nitrogenous base(s) allow adenine and cytosine and guanine and thymine	1	AO1 4.6.1.5
01.4	<p>all four required for the mark</p>		1	AO3 4.6.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	replication		1	AO3 4.6.1.5 4.1.2.2
01.6	protein	allow polypeptide	1	AO1 4.6.1.4
01.7	3×10^{-12} grams		1	AO2 4.6.1.2
01.8	meiosis		1	AO1 4.6.1.2
Total			8	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	(put beaker in a) water bath	allow (put beaker in an) incubator	1	AO1 4.7.2.3 RPA10
02.2	volume of the milk or type of milk	allow amount of milk allow named type of milk, eg cows' or semi-skimmed	1	AO1 4.7.2.3 RPA10
02.3	correct scale and axis labelled	scale must be at least 1 cm for 1 day	1	AO2 4.7.2.3 RPA10
	all points plotted correctly	allow a tolerance of $\pm \frac{1}{2}$ small square allow 4 or 5 correct plots for 1 mark	2	
	suitable curved line of best fit	ignore line joined point to point with straight lines	1	
02.4	similar shaped line drawn to left of 20 °C line on Figure 4		1	AO2 4.7.2.3 RPA10
	same start pH	allow a tolerance of $\pm \frac{1}{2}$ small square allow from student's line of best fit or student's plot for 0 days	1	
Total			8	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3.1	any one from: <ul style="list-style-type: none"> movement would release (extra) heat movement would increase body temperature movement would increase sweating 		1	AO2 4.5.1 4.5.2.4
3.2	37.4 °C		1	AO2 4.5.1 4.5.2.4
3.3	<u>blood</u> is cooled at stomach / mouth (cooled) blood flows to the brain		1 1	AO2 4.5.1 4.5.2.4
3.4	via nerve(s) / neurones or via (nerve) impulse(s)	ignore type of neurone allow electrical signals allow via the nervous system	1	AO2 4.5.1 4.5.2.4
3.5	less sweating occurs so less heat is lost or less cooling	allow less sweat evaporates do not accept no sweating allow less heat used for evaporation of sweat / water	1 1	AO3 AO2 4.5.1 4.5.2.4
3.6	dilation of blood vessels in the skin		1	AO2 4.5.1 4.5.2.4
Total			8	

Question	Answers	Mark	AO / Spec. Ref.
4	Level 2: Scientifically relevant facts, events or processes are identified and given in detail to form an accurate account.	4–6	AO1
	Level 1: Facts, events or processes are identified and simply stated but their relevance is not clear.	1–3	4.7.2.1 4.7.2.2 4.7.2.3
	No relevant content	0	4.2.2.1 4.2.3.1 4.2.3.2
	Indicative content <i>in microorganisms</i> <ul style="list-style-type: none"> • digestion or large molecules to small molecules • enzymes or named example • respiration • production of carbon dioxide • release of mineral ions or named example such as nitrate / phosphate / magnesium <i>in plants</i> <ul style="list-style-type: none"> • carbon dioxide (from air) taken in by leaves • by diffusion • via stomata • carbon dioxide used in photosynthesis • making glucose / sugar / starch / cellulose or making other correctly named example • (named) ions taken in by roots • by active transport • nitrate ions for making amino acids / proteins / DNA / chlorophyll • phosphate for making DNA <p>For Level 2 processes in microorganisms and in plants should be considered</p>		4.4.1.1 4.4.1.3 4.4.2.1
Total		6	

Question	Answers	Extra information	Mark	AO / Spec. Ref.																					
05.1	<table><tr><th>Factor</th><th>Biotic</th><th>Abiotic</th></tr><tr><td>Nitrates in the soil</td><td></td><td>✓</td></tr><tr><td>Rabbits eating the plants</td><td>✓</td><td></td></tr><tr><td>Shading by a building</td><td></td><td>✓</td></tr><tr><td>Soil pH</td><td></td><td>✓</td></tr><tr><td>Temperature</td><td></td><td>✓</td></tr><tr><td>Trampling by people</td><td>✓</td><td></td></tr></table>		Factor	Biotic	Abiotic	Nitrates in the soil		✓	Rabbits eating the plants	✓		Shading by a building		✓	Soil pH		✓	Temperature		✓	Trampling by people	✓		3	AO1 4.7.1.2 4.7.1.3 4.4.1.2
	Factor	Biotic	Abiotic																						
	Nitrates in the soil		✓																						
	Rabbits eating the plants	✓																							
	Shading by a building		✓																						
	Soil pH		✓																						
	Temperature		✓																						
	Trampling by people	✓																							
all 6 correct = 3 marks 4 or 5 correct = 2 marks 2 or 3 correct = 1 mark 0 or 1 correct = 0 marks																									
05.2	(grid and) coordinates		1	AO1 4.7.2.1 RPA9																					
	to achieve randomness	ignore throwing quadrat	1																						
		allow random coordinates for 2 marks																							
		if no other mark awarded allow random walk or description of random walk for 1 mark																							

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	(mean per m^2 =) 24 or 6×4		1	AO2 4.7.2.1 RPA9
	(calculation of area of lawn =) ($\frac{1}{2} \times 16 \times 10$) – (6×3) or 80 – 18		1	
	(area of lawn =) 62 m^2	allow correct calculation using total area (of triangle) – area of rectangle	1	
	(total number of daisies =) 24 \times 62	allow correct calculation using an incorrectly calculated area of the lawn and / or mean	1	
	1488	allow answer based on incorrect area	1	
	(answer to 3 sig figs =) 1490	allow student's calculated answer rounded to 3 sig figs	1	
05.4	too few quadrats or quadrat too small	allow sample size too small	1	AO3 4.7.2.1 RPA9
	sample may not be representative of the lawn	allow quadrats may not have been placed randomly	1	
Total			13	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	response / <u>reaction</u>	ignore examples ignore action	1	AO1 4.5.2.1
	automatic or no thinking or not conscious or involuntary	ignore reference to brain ignore quick	1	
06.2	receptor (in skin of finger / hand) detects stimulus / temperature change	allow receptor detects heat ignore pain	1	AO1 4.5.2.1
	(electrical) impulses pass along neurones	allow electrical signals pass along nerve cells ignore messages	1	
	(impulses pass from) sensory to relay to motor neurones		1	
	synapse between neurones where chemical crosses gap	allow neurotransmitter / acetylcholine for chemical allow by diffusion	1	
	(synapses) in spinal cord / CNS	ignore brain	1	
	muscle contraction (to pull hand away) or effector is a muscle		1	
06.3	coordination by endocrine system is:	allow converse points if clearly indicating nervous co-ordination answers must be comparative		
	slower		1	AO1
	longer-lasting		1	AO1
	(chemical / hormone) via blood instead of electrical / impulse / neurones		1	AO2 4.5.2.1 4.5.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4		ignore reference to days of menstrual cycle		
	FSH (release from pituitary) stimulates maturation of egg / ovum / follicle	allow FSH stimulates development / growth of egg	1	AO1 4.5.3.1 4.5.3.4
	oestrogen (release from ovary) inhibits FSH production and stimulates LH production		1	
	LH (release from pituitary) stimulates ovulation	allow LH stimulates release of egg	1	
	progesterone (release from ovary) inhibits FSH and LH production	allow (release from corpus luteum)	1	
	oestrogen and progesterone maintain the uterus lining	allow oestrogen and progesterone build up the uterus lining	1	
Total			16	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	from light / sunlight	ignore sun unqualified	1	AO1 4.7.2.1
	absorbed by chlorophyll / chloroplasts	if no other mark awarded allow by photosynthesis for 1 mark	1	4.7.4.3 4.4.1.1
07.2	krill / herring / copepod		1	AO2 4.7.2.1 4.7.4.1
07.3	algae		1	AO2 4.7.2.1 4.7.4.1
07.4	1 algae 2 krill or copepod 3 squid 4 mackerel (5 Human)	all correct for 1 mark	1	AO2 4.7.2.1
07.5	any two from: (losses due to) <ul style="list-style-type: none">• non-eaten parts (of squid / krill)• <u>respiration</u> or <u>respiring</u> (in mackerel)• excretion (by mackerel)	allow bones / shells allow eaten by other animals do not accept respiration produces / makes / creates energy allow loss of a named waste product such as CO ₂ / urea ignore loss of waste unqualified ignore faeces	2	AO1 4.7.4.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.6	2.3 and 0.1 (million)	allow in the range 2.25 to 2.3 for 2.3 (million)	1	AO2 4.7.5.3
	$\frac{2.3 - 0.1}{2.3} \times 100$ or $\frac{220}{2.3}$		1	
	95.65217.....	allow answer from correct substitution of incorrect values from Figure 11	1	
	96	allow student's calculated answer correctly rounded to the nearest whole number	1	

Question	Answers	Mark	AO / Spec Ref.
07.7	Level 3: A judgement, strongly linked and logically supported by a sufficient range of correct reasons, is given.	5–6	AO3 4.7.5.3
	Level 2: Some logically linked reasons are given. There may also be a simple judgement.	3–4	
	Level 1: Relevant points are made. They are not logically linked.	1–2	
	No relevant content	0	
	<p>Indicative content figures may be given without units (million tonnes) throughout points for:</p> <ul style="list-style-type: none"> • small fish are not caught so can live long enough to reproduce • biomass / stocks have generally increased after these laws introduced • '77-'81 law (total ban) resulted in increase in biomass, eg 0.1 to 0.48 or to 0.9 by '84 • '84 law (mesh size) resulted in increase in biomass, eg 0.9 to 1.8 (by '90) • '97 law (quotas) resulted in increase, eg 1.15 to 1.25 • '98 law (ban in breeding season) resulted in increase, eg 1.25 to 2.5 <p>points against:</p> <ul style="list-style-type: none"> • could be a cause other than the law or correlation does not necessarily indicate causal relationship or other factors • laws superimposed so can't necessarily tell the effect of each • each law results in an increase followed by a decrease • quotas lead to dead fish being thrown back into sea <p>For Level 3 points both for and against must be considered together with appropriate use of data</p>		
Total		17	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	mutation means less oxygen for (aerobic) respiration	allow haemoglobin or red blood cell carries oxygen for (aerobic) respiration do not accept no oxygen for respiration	1	AO2 4.6 4.6.1.5 4.2.2.3
08.2	$4 \div 17$ 0.235(29...)	allow 4:13 allow 0.24 or 24% allow ratio 1 : 3.25	1 1	AO2 4.6.1.5 4.2.2.3
08.3	<p>father / 8's gametes correct: H^A + H^A</p> <p>mother / 9's gametes correct: H^A + H^S</p> <p>correct derivation of offspring genotypes: H^AH^A H^AH^A H^AH^S H^AH^S</p> <p>correct phenotype for each derived genotype</p> <p>0.25 / $\frac{1}{4}$ / 25% / 1 in 4 / 1:3</p>	<p>allow 1 mark for both sets of gametes if parents not identified</p> <p>allow correctly derived offspring genotypes from incorrect parental gametes</p> <p>allow only a probability consistent with student's derivations</p>	1 1 1 1	<p>AO2</p> <p>AO2</p> <p>AO2</p> <p>AO2</p> <p>AO3 4.6.1.6 4.6.1.7 4.6.1.8</p>

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	<p>any three from:</p> <p><i>points for:</i></p> <ul style="list-style-type: none"> • $H^A H^S$ do not get malaria • $H^A H^S$ survive sickle cell anaemia <p><i>points against:</i></p> <ul style="list-style-type: none"> • $H^A H^A$ may die from malaria • $H^S H^S$ may become (severely) ill with sickle cell anaemia • Judgement: if parents $H^A H^S$ then some offspring survive both malaria and sickle cell anaemia or if parents $H^A H^S$ then some offspring may become (severely) ill with malaria and some become (severely) ill with sickle cell anaemia 	to gain full marks both point(s) for and point(s) against must be given	3	AO3 4.6.2.1
Total			11	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	Classification group	all 4 correct = 2 marks 2 or 3 correct = 1 mark 0 or 1 correct = 0 marks	2	AO1 4.6.4
	Kingdom			
	Phylum			
	Class			
	Order			
	Family			
	Genus			
	Species			
09.2	Geospiza fortis	ignore underlining or attempted italics or upper and lower case letters	1	AO2 4.6.4
09.3	offspring have similar beak depths to parents	ignore same beak depths ignore positive correlation / described	1	AO3 4.6.2.1
09.4	parents of a given beak depth produce offspring with several beak depths	allow spread of results for a given parental beak depth about line of best fit allow range of phenotypes for a given parental beak depth	1	AO3 4.6.1.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	colonisers of Isabela have a range of beak depths	allow colonisers of Daphne have a range of beak depths	1	AO2
	due to different combinations of alleles of several genes or due to different alleles of one gene or due to mutation		1	AO1
	large range of (sizes / species of) seeds / food (on Isabela) or large(r) seeds (on Isabela)	allow small range of (sizes / species of) seeds / food on Daphne or allow small(er) seeds on Daphne	1	AO2
	more competition for seeds / food (on Isabela)	allow less competition for seeds / food on Daphne ignore competition unqualified	1	AO2
	birds with larger beaks get enough food to (survive and) reproduce (on Isabela)	allow birds with smaller / medium beak sizes get enough food to (survive and) reproduce on Daphne	1	AO2
	(survivors) pass on (beneficial) alleles to offspring	allow pass on genes / mutation ignore pass on chromosomes / characteristics	1	AO1 4.6.2.1 4.6.2.2 4.7.1.1 4.7.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.6	Isabela is a large island with more species of plants or Isabela is a large island with more variety in seed / food sizes or Isabela is a large island with more plants / seeds / food		1	AO3 4.7.1.1 4.7.1.3
	less competition for seeds / food or enough seeds / food for both bird species		1	
Total			13	